



## Ficha Técnica Technical Information

### Piso y Muro Cerámico / Floor and Wall Tile

Link: Pasta blanca vs. Pasta Roja



#### Formato / Size:

29.5 x 58 cm / 11,6" x 22,8"

29 x 57.5 cm Rectificado / 11,4" x 22,6" Rectified



PEI



TTM / B



INTERIOR



BATHROOM



KITCHEN

|  |  |                               |                |
|--|--|-------------------------------|----------------|
|  mm | Espesor / Thickness  | 9 mm                          |                |
|     | Separación de boquilla / Grout separation                  | 4 mm sin rect. / 2 mm rect.   |                |
|     | P.E.I.   | 3 (Tráfico: Medio)            |                |
|     | Tono y Textura Mezclado / Mixed Tone and Texture           | Medio / Medium                |                |
|     | Resistencia al ataque químico / Chemical Resistance        | Conforme / In compliance with | A.S.T.M. C650  |
|     | Coefficiente Dinámico de Fricción / DCOF                   | ≥ 0.42 %                      | A.S.T.M. C1028 |
|     | Absorción de agua / Water absorption                       | 3 - 7 %                       | A.S.T.M. C373  |
|     | MOHS   | 5 - 8                         | A.S.T.M. C1028 |
|     | Resistencia a la flexión / Breaking Strength               | ≥ 250kg / 551 lbs             | ISO 10545-4    |
|     | Resistencia al shock térmico / Resistance to thermal shock | Conforme / In compliance with | A.S.T.M. C484  |
|     | Resistencia a helada / Resistance to frost                 | Conforme / In compliance with | A.S.T.M. C1026 |
|     | Resistencia a las manchas / Resistance to staining         | Conforme / In compliance with | A.S.T.M. C1378 |
|     | Resistencia a la abrasión / Resistance to abrasion         | Conforme / In compliance with | ANSI A137      |

Cesantoni S.A. de C.V. certifica que los resultados anteriores fueron obtenidos en análisis de laboratorio elaborado por el departamento de Control de Calidad. Cesantoni certifies that all results were obtained on a laboratory testing by quality control department.